

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions, and listings, of claims in the application:

Listing of Claims:

1 1. (Currently amended) A machine-implemented method for sending packets,
2 comprising the steps of:
3 communicating, from an application to an operating system, a policy for manipulating
4 packets,
5 wherein the policy specifies at least one of (a) redirection needs of the application, (b)
6 replication needs of the application, (c) packet aggregating needs of the
7 application, and (d) packet splitting needs of the application; and
8 in response to receiving packets at the operating system, the operating system
9 modifying the packets based on the policy without intervention of the
10 application.

1 2. (Previously presented) The method of Claim 1, wherein the step of
2 communicating the policy comprises:
3 at the operating system, in response to receiving the policy from the
4 application, storing the policy in a data structure.

1 3. (Previously presented) The method of Claim 1, wherein the policy
2 indicates destinations to which messages should be redirected.

1 4. (Previously presented) The method of Claim 1, wherein:

2 the step of modifying the packets includes receiving a packet, replicating the packet
3 based on the policy to create a plurality of replicated packets for a plurality of
4 users interested in receiving the packet; and
5 the method further comprises the step of transmitting the replicated packets to the
6 interested users based on the policy.

1 5. (Currently amended) A machine-implemented method for sending packets,
2 comprising the steps of:
3 communicating, from an application to hardware, a policy for manipulating packets,
4 wherein the policy specifies at least one of (a) redirection needs of the application, (b)
5 replication needs of the application, (c) packet aggregating needs of the
6 application, and (d) packet splitting needs of the application; and
7 in response to receiving packets at [[in]] the hardware, the hardware modifying the
8 packets based on the policy without intervention of the application.

1 6. (Previously presented) The method of Claim 5, wherein the hardware is a router.

1 7. (Currently amended) A machine-implemented method for sending messages,
2 comprising the steps of:
3 creating, by an application, an aggregate message from individual messages that are to
4 be sent using an operating system service;
5 transmitting the aggregate message from the application to an operating system with a
6 system call;

7 within the operating system, dividing the aggregate message back into individual
8 messages; and
9 transmitting the individual messages using the operating system service,
10 wherein at least one of the individual messages is sent to a different recipient than
11 another of the individual messages.

1 8. (Previously presented) The method of Claim 7, wherein the individual messages are
2 packets.

1 9. (Previously presented) The method of Claim 7, wherein the aggregate message
2 includes a policy.

1 10. (Previously presented) The method of Claim 9, wherein the policy indicates
2 destinations to which messages should be redirected.

1 11. (Previously presented) The method of Claim 9, wherein the policy includes video-to-
2 message information.

1 12. (Previously presented) The method of Claim 9, wherein the policy includes a time
2 stamp that is a range of time indicating when the individual messages should be
3 transmitted.

1 13. (Previously presented) The method of Claim 9, wherein the policy includes time
2 stamps for transmitting the individual messages according to the time stamps
3 associated with the individual messages.

1 14. (Previously presented) The method of Claim 13, wherein the time stamps are
2 sequence numbers.

1 15. (Previously presented) The method of Claim 13, wherein the time stamps are relative
2 virtual time delays with respect to the first message to be transmitted.

1 16. (Currently amended) A computer-readable medium carrying one or more sequences of
2 instructions for sending packets, wherein execution of the one or more sequences of
3 instructions by one or more processors causes the one or more processors to perform
4 the steps of:

5 communicating, from an application to an operating system, a policy for manipulating
6 packets,

7 wherein the policy specifies at least one of (a) redirection needs of the application, (b)

8 replication needs of the application, (c) packet aggregating needs of the

9 application, and (d) packet splitting needs of the application; and

10 in response to receiving packets at the operating system, the operating system

11 modifying the packets based on the policy without intervention of the

12 application.

1 17. (Previously presented) The computer-readable medium of Claim 16,
2 wherein the step of communicating the policy comprises:
3 at the operating system, in response to receiving the policy from the
4 application, storing the policy in a data structure.

1 18. (Previously presented) The computer-readable medium of Claim 16,
2 wherein the policy indicates destinations to which certain messages
3 should be redirected.

1 19. (Previously presented) The computer-readable medium of Claim 16, wherein:
2 the step of modifying the packets includes receiving a packet, replicating the packet
3 based on the policy to create a plurality of replicated packets for a plurality of
4 users interested in receiving the packet; and
5 the method further comprises the step of transmitting the replicated packets to the
6 interested users based on the policy.

1 20. (Currently amended) A computer-readable medium carrying one or more sequences of
2 instructions for sending packets, wherein execution of the one or more sequences of
3 instructions by one or more processors causes the one or more processors to perform
4 the steps of:
5 communicating, from an application to hardware, a policy for manipulating packets,

6 wherein the policy specifies at least one of (a) redirection needs of the application, (b)
7 replication needs of the application, (c) packet aggregating needs of the
8 application, and (d) packet splitting needs of the application; and
9 in response to receiving packets at [[in]] the hardware, the hardware modifying the
10 packets based on the policy without intervention of the application.

1 21. (Previously presented) The computer-readable medium of Claim 20, wherein the
2 hardware is a router.

1 22. (Currently amended) A computer-readable medium carrying one or more sequences of
2 instructions for sending messages, wherein execution of the one or more sequences of
3 instructions by one or more processors causes the one or more processors to perform
4 the steps of:
5 creating, by an application, an aggregate message from individual messages that are to
6 be sent using an operating system service;
7 transmitting the aggregate message from the application to an operating system with a
8 system call;
9 within the operating system, dividing the aggregate message back into individual
10 messages; and
11 transmitting the individual messages using the operating system service,
12 wherein at least one of the individual messages is sent to a different recipient than
13 another of the individual messages.

1 23. (Previously presented) The computer-readable medium of Claim 22, wherein the
2 individual messages are packets.

1 24. (Previously presented) The computer-readable medium of Claim 22, wherein the
2 aggregate message includes a policy.

1 25. (Previously presented) The computer-readable medium of Claim 23, wherein the
2 policy indicates destinations to which messages should be redirected.

1 26. (Previously presented) The computer-readable medium of Claim 24, wherein the
2 policy includes video-to-message information.

1 27. (Previously presented) The computer-readable medium of Claim 24, wherein the
2 policy includes a time stamp that is a range of time indicating when the individual
3 messages should be transmitted.

1 28. (Previously presented) The computer-readable medium of Claim 24, wherein the
2 policy includes time stamps for transmitting the individual messages according to the
3 time stamps associated with the individual messages.

1 29. (Previously presented) The computer-readable medium of Claim 28, wherein the time
2 stamps are sequence numbers.

1 30. (Previously presented) The computer-readable medium of Claim 28, wherein the time
2 stamps are relative virtual time delays with respect to the first message to be
3 transmitted.

1 31. (Previously presented) The method of Claim 1, wherein the policy is a first policy,
2 wherein the packets are a first set of packets, and the method further comprises the
3 steps of:
4 communicating, from the application to the operating system, a second policy for
5 manipulating packets; and
6 at the operating system, modifying a second set of packets based on the second policy
7 while the operating system is still configured to modify the first set of packets
8 based on the first policy.

1 32. (Previously presented) The computer-readable medium of Claim 16, wherein the
2 policy is a first policy, wherein the packets are a first set of packets, and wherein
3 execution of the one or more sequences of instructions by the one or more processors
4 further causes the one or more processors to perform the steps of:
5 communicating, from the application to the operating system, a second policy for
6 manipulating packets; and
7 at the operating system, modifying a second set of packets based on the second policy
8 while the operating system is still configured to modify the first set of packets
9 based on the first policy.